EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	10/561623	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 21:21
L6	0	5 and (mean same pixels)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:23
L7	0	5 and (mean same pixel \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:23
L8	0	5 and ("mean" same pixel \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:23
L9	0	5 and ("means" same pixel \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:23
L10	0	5 and ("peth" same pixel \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:24
L11	0	5 and ("peth" and pixel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:24
L12	1	5 and ((means path\$2 chang\$5) and pixels)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:53
L13	1	5 and ((means path\$2 chang\$5) same pixels) and (plural6 number small44 larger\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:55
L14	1	5 and ((means path\$2 chang\$5) same pixels) and (plural6 number small \$4 larger\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:55
L15	1	5 and ((means path\$2 chang\$5) same pixel\$1) and (plural6 number small \$4 larger\$3 pixel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 22:58
L16	1	5 and independen\$4 same (means path\$4 chang\$5 contact\$4) same (illuminat \$4 pixl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:17
L17	1	(US-20060250550-\$).did.	US-PGPUB	OR	OFF	2008/08/17 23:19
L18	1	(US-20020031294-\$).did.	US-PGPUB	OR	OFF	2008/08/17 23:20

L19	2	17 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:20
L20	2	19 and (illumina\$5 pixel \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:20
L21	2	19 and (illumina\$5 pixel\$4 independent\$4 individu\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:21
L22	2	19 and (illumina\$5 pixel\$4 same (icroprism\$2 reflect \$5 switch\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:28
L23	2	19 and (illumina\$5 pixel\$4 same (icroprism\$2 reflect \$5 switch\$5)) and pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/17 23:36
L24	62	((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) near7 (scat\$5 diffus\$5 intensit\$4) and liquid near3 crystal\$4 and (lcd display) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/18 00:17
L25	1656782	(contact\$4 touch\$4 mov \$5 translat\$5) NEAR7 (control\$5 piezoelectric piezo near1 electric\$3 electric\$4 volt\$4 (flow elctric) near2 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/18 00:17
L26	37	L24 and L25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/08/18 00:17
S1	1	10/561623	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 11:43
S3	1	S1 and (illuminat\$5 same plate\$2 and plate near7 path near5 chang\$4 and scann\$5 same parall\$4 same inciden\$4 near7 plate\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 11:43
S4	1	S1 and (scann\$5 same parall\$4 and parall\$4 same inciden\$4 near7 plate\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/09 17:01
S5	1	S1 and (scann\$5 near3 line \$2 same path) and (inciden\$4 plate\$1 same scan\$4 near2 line\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/09 17:12
S6	1	S1 and (scann\$5 near3 line \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/09 17:13

S7	1	10/561623	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 11:43
S8	1	10/561623	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 11:43
S9	1	\$8 and (illuminat\$5 reflect \$5 deflect\$4 diffus\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 11:59
S10	54	((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) near7 (scat\$5 diffus\$5 intensit\$4) and liquid near3 crystal\$4 and (lcd display) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:22
S11	1587594	(contact\$4 touch\$4 mov \$5 translat\$5) NEAR7 (control\$5 piezoelectric piezo near1 electric\$3 electric\$4 volt\$4 (flow elctric) near2 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:20
S12	29	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:16
S13	2898510	(contact\$4 touch\$4 mov \$5 translat\$5) same (control\$5 piezoelectric piezo near1 electric\$3 electric\$4 volt\$4 (flow elctric) near2 current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:27
S14	0	S7 and ((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) near7 (scat\$5 diffus\$5 intensit \$4) and liquid near3 crystal \$4 and (lcd display) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:23
S15	1	S7 and ((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) same (scat\$5 diffus\$5 intensit \$4) and liquid near3 crystal \$4 and (lcd display) and pixel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 12:23

S17	48	((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) same (scat\$5 diffus\$5 intensit\$4) and liquid near3 crystal\$4 and (lcd display) and pixel\$2 and illuminat\$5 and intensit\$5 same ((guide guiding) near1 (light plate) wave near1 guid\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:03
S18	35	S13 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:04
S19	34	(US-20070223252-\$ or US-20070223247-\$ or US-20070177406-\$ or US-20070177224-\$ or US-20070109239-\$ or US-20060125971-\$ or US-2006007688-\$ or US-20060066537-\$ or US-20060038769-\$ or US-20050140849-\$ or US-20050134751-\$ or US-20050134751-\$ or US-2005010777-\$ or US-20050030732-\$ or US-20050007514-\$ or US-20030179323-\$ or US-20030179323-\$ or US-20030067539-\$ or US-20020031294-\$ or US-20010030860-\$).did. or (US-7280102-\$ or US-7204635-\$ or US-7172328-\$ or US-7110052-\$ or US-7046271-\$ or US-6789910-\$ or US-6972753-\$ or US-6917391-\$ or US-6789910-\$ or US-6438282-\$ or US-6381381-\$ or US-6104447-\$ or US-5828427-\$ or US-5801793-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/14
S20	34	S13 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	5	2008/01/14 12:27

S21	83	((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) same (dispers\$4 reflect\$5 scat\$5 diffus\$5 intensit\$4) and liquid near3 crystal\$4 and (lcd display) and pixel\$2 and illuminat\$5 and intensit\$5 same ((guide guiding) near1 (light plate) wave near1 guid\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:06
S22	52	S13 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:04
S23	2808657	"52" not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:05
S24	17	S22 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 14:05
S25	17	(US-20070279727-\$ or US-20070223249-\$ or US-20070076434-\$ or US-20070046851-\$ or US-20060132914-\$ or US-20030164807-\$ or US-20030142905-\$ or US-20020172031-\$ or US-20020154256-\$ or US-2002001431-\$ or US-20010022636-\$).did. or (US-6796669-\$ or US-6591037-\$ or US-6470115-\$ or US-6266108-\$ or US-6199995-\$ or US-5381251-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/01/14 14:05
S26	17	S25 and ((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) same (dispers\$4 reflect\$5 scat \$5 diffus\$5 intensit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 15:04
S27	1	(US-20030142905-\$).did.	US-PGPUB	OR	OFF	2008/01/14 15:02
S28	1	(US-20020031294-\$).did.	US-PGPUB	OR	OFF	2008/01/14 15:03
S29	2	S27 S28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 15:04

S30	2	\$29 and ((guide guiding) near1 (light plate) wave near1 guid\$2) near5 (contact\$4 touch\$4) same (dispers\$4 reflect\$5 scat \$5 diffus\$5 intensit\$4) and (lcd display\$4 guid\$3 panel\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 18:01
S31	16	("349"/\$.ccls.) and backlight near5 variable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:03
S32	147	("349"/\$.ccls.) and backlight near5 (switch\$5 var\$4 tun\$6) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:45
S33	20	("349"/\$.ccls.) and backlight near5 (switchabl \$2 tun\$6) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:31
S34	93	("349"/\$.ccls.) and backlight near5 (switch\$3) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:39
S37	9	("349"/\$.ccls.) and backlight near6 (switch\$3) near5 control\$4 and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:34
S38	6	S37 and (lcd near2 panel \$2 display near2 panel\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:39
S39	9	("349"/\$.ccls.) and backlight near5 (switch\$3) same (Icd near2 panel\$2 display near2 panel\$2) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:46
S40	127	backlight near5 (switch\$5 var\$4 tun\$6) near7 (lcd near2 panel\$2 display near2 panel\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:46
S41	42	backlight near5 (switch\$5 var\$4 tun\$6) near7 (lcd near2 panel\$2 display near2 panel\$2) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:48
S42	34	backlight near5 (switch\$5 tun\$6) near7 (Icd near2 panel\$2 display near2 panel\$2) and @ad<"20030602"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 17:48
S43	2	\$29 and (organic\$3 resin \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 18:02

S44	20	20060038769-\$ or US- 20020031294-\$ or US- 20060077688-\$ or US- 20020154256-\$ or US- 20030142905-\$ or US- 20020001431-\$ or US- 20020063817-\$ or US- 20060250550-\$).did. or (US-6917391-\$ or US- 6104447-\$ or US-5828427- \$ or US-7110052-\$ or US- 5801793-\$ or US-6438282- \$ or US-6381381-\$ or US- 6591037-\$ or US-6470115- \$ or US-7058252-\$).did.	USPAT	OR		2008/01/14 18:57
S45	2	S44 and scan\$4 near3 line \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/01/14 18:59

8/18/2008 12:20:17 AM

C:\ Documents and Settings\ kkianni\ My Documents\ EAST\ Workspaces\ 1623.wsp